

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

ble  
1 (currently amended): An optical member in which a surface of an optical material is bonded to and covered with a protective film having a an outer surface roughness Ra of at least 0.03  $\mu\text{m}$ , wherein the protective film comprises a protective base and an adhesive layer disposed on the protective base so that the protective base can be released together with the adhesive layer from the optical material.

2 (currently amended): The optical member according to claim 1, wherein the protective film is disposed on one surface of the optical material, and a separator is provided on the other surface of the optical material via an another adhesive layer.

3 (original): The optical member according to claim 1, wherein the optical material comprises a polarizing plate.

4 (currently amended): The optical member according to claim 1, wherein the optical material comprises a polarizing plate, and at least one of a retardation plate and a brightness ~~enhanced~~ enhancement plate.

5 (currently amended): An optical member in which an adhesive layer disposed on an ~~uttermost~~ outermost surface of an optical material is provisionally bonded to and covered with a

separator having ~~a~~ an outer surface roughness Ra of at least 0.03  $\mu\text{m}$ .

Be end  
6 (original): The optical member according to claim 5, wherein the separator is disposed on one surface of the optical material, and a protective film is provided on the other surface of the optical material.

7 (currently amended): The optical member according to claim 5, wherein the optical material comprises ~~has~~ a polarizing plate.

B7  
8 (previously amended): The optical member according to claim 5, wherein the optical material comprises a polarizing plate, and at least one of a retardation plate and a brightness enhancement plate.

15  
9 (original): A liquid crystal display having an optical member according to claim 1.

10 (previously added): The optical member according to claim 1, wherein the protective film has an outer surface roughness Ra of from 0.04 to 10  $\mu\text{m}$ .

B7  
11 (previously added): The optical member according to claim 1, wherein the protective film has an outer surface roughness Ra of at most 5  $\mu\text{m}$ .

112  
12 (previously added): The optical member according to claim 1, wherein the separator has an outer surface roughness Ra of from 0.05 to 10  $\mu\text{m}$ .

13 (currently amended): The optical member according to claim 5, wherein the ~~protective film~~ separator has an outer surface roughness Ra of from 0.04 to 10  $\mu\text{m}$ .

14 (currently amended): The optical member according to claim 5, wherein the ~~protective film~~ separator has an outer surface roughness Ra of at most 5  $\mu\text{m}$ .

15 (currently amended): The optical member according to claim 5, wherein the ~~protective film~~

b9  
end  
separator has an outer surface roughness Ra of from 0.05 to 10  $\mu\text{m}$ .

---

16 (new): A liquid crystal display having an optical member according to claim 5.

b10  
17 (new): An optical member in which a surface of an optical material is bonded to and covered with a protective film having an outer surface roughness Ra of at least 0.03  $\mu\text{m}$ , wherein the optical member comprises a polarizing plate having a transparent protective layer on one or both faces of a polarizing film, and the protective film is disposed on the transparent protective layer of the polarizing plate.

18 (new): The optical member according to claim 17, wherein the protective film is disposed on one surface of the optical material, and a separator is provided on the other surface of the optical material via an adhesive layer.

19 (new): The optical member according to claim 17, wherein the optical material comprises at least one of a retardation plate and a brightness enhancement plate.

20 (new): The optical member according to claim 17, wherein the protective film has an outer surface roughness Ra of from 0.04 to 10  $\mu\text{m}$ .

21 (new): The optical member according to claim 17, wherein the protective film has an outer surface roughness Ra of at most 5  $\mu\text{m}$ .

22 (new): The optical member according to claim 17, wherein the separator has an outer surface roughness Ra of from 0.05 to 10  $\mu\text{m}$ .

23 (new): A liquid crystal display having an optical member according to claim 17.

24 (new): An optical member in which a surface of an optical material is bonded to and

covered with a protective film having an outer surface roughness Ra of at least  $0.03\ \mu\text{m}$ , wherein  
a reflecting layer having a fine undulating structure is disposed on the protective film.

25 (new): An optical member according to claim 24, wherein the reflecting layer is formed  
by attaching metal directly onto the surface of the protective layer.

26 (new): A liquid crystal display having an optical member according to claim 24.

---